
# **Blue Beech**

## Carpinus caroliniana





Mature



Native Range

#### **General Attributes**

General Mentiones	
Type	Deciduous Tree
Height	15 - 30 Feet
Spread	15 - 25 Feet
Form	Globular
<b>Utility Lines</b>	Compatible
<b>Growth Rate</b>	Slow
Life Expectancy	Long
USDA Zone	3 - 9
Root Pattern	Deep Lateral

#### Flowers/Foliage/Fruits

Flower Color	Red
Flower Season	Spring
Fruit	Samara
Fruit Color	Orange
Fruit Season	Summer, Fall
<b>Summer Texture</b>	Medium
Winter Texture	Fine
Spring Foliage	Orange
Summer Foliage	Green
Fall Foliage	Orange
Winter Foliage	Not Applicable

## **Plant Community**

Sun	Full Sun, Partial Sun, Shade
Orientation	North, East
Soil Texture	Sandy Loam to Silty Loam
Topography	Upland
<b>Plant Community</b>	Forest
Succession	Intermediate
Origin	MSA Zone 1, MSA Zone 2, MSA Zone 3, MSA Zone 4, Minnesota, North America

# Soils

Salt Spray Tolerance	Sensitive
Soil Salt Tolerance	Sensitive
<b>Compaction Tolerance</b>	Intolerant
Water Table	12 Inches
Drainage	Poor, Excessive, Moderate
Flood Tolerance	
<b>Drought Tolerance</b>	Sensitive
Moisture Regime	Dry, Moist, Wet
pH	4.0 through 7.3
Windbreak Group	

## **Blue Beech**

#### Carpinus caroliniana



<b>Planting Ease</b>		Maintenance	
Spring Bareroot	Difficult	Formal	Moderate
Fall Bareroot	Difficult	Informal	Low
Spring Container	Moderate	2,4-D Tolerance	Sensitive
Fall Container	Moderate	Dicamba Tolerance	Sensitive
		Picloram Tolerance	Sensitive
Spring Seed		Clopyralid Tolerance	
Fall Seed		Artificial Light	Sensitive
		Sulfur Dioxide	Tolerant
		Ozone Tolerance	
		Hydrogen Flouride	Moderate
		Nitrogen Oxide	Sensitive

Pests/Prob	olems
------------	-------

**Mechanical Control Chemical Control** 

Pests/Problems		Miscellaneous	
Allergens	males 8, females 8	Wildlife Rating	Low
Invasiveness	Non-Invasive	<b>Insect Concerns</b>	Minor
Toxicity		Disease Concern	Minor
Cold Injury	Not Susceptible	Wildlife Concerns	
Storm Damage	Not Susceptible		
<b>Biological Control</b>			

#### **Comments**

Also known as hornbeam. Has smooth fluted bark which gives the tree a muscular appearance. Use as a specimen or in clumps. Wood is tough to chop. Tolerates periodic flooding.



Bark



Fall

# **Blue Beech**

# Carpinus caroliniana





Flower



Leaf



Immature

Mass