American Cranberrybush

Viburnum trilobum







Native Range

General	A	ttri	bu	tes
---------	---	------	----	-----

Type Deciduous Shrub Height 8 - 12 Feet 8 - 12 Feet **Spread Form** Rounded **Utility Lines** Compatible **Growth Rate** Medium Life Expectancy Short **USDA** Zone 2 - 7 **Root Pattern**

Plant Community

Sun Full Sun, Partial Sun, Shade North, East Orientation **Soil Texture** Sandy Loam to Clay

Upland, Lowland (Flood Prone), **Topography** Lowland (Stable Water), Wetland

Plant Community Forest, Bog, Wooded Swamp, Marsh, Old Field, Shaded Cliff

Succession Pioneer, Intermediate

Origin

MSA Zone 1, MSA Zone 2, MSA Zone 3, MSA Zone 4, MSA Zone 5, MSA Zone 6, Minnesota, North America

American Cranberrybush

Viburnum trilobum



Flowers/Foliage/Fruits	Soils

Flower Color White **Salt Spray Tolerance** Sensitive Flower Season Spring **Soil Salt Tolerance** Sensitive **Compaction Tolerance** Tolerant Fruit Drupe Water Table 6 Inches **Fruit Color** Red

Fruit Season Fall, Winter Drainage Poor, Moderate

Summer Texture Medium Flood Tolerance

Winter Texture Medium Drought Tolerance Tolerant
Moist, Wet

Spring Foliage Dark Green pH 6.6 through 7.5

Windbreak Group

Dark Green

Fall Foliage Red

Summer Foliage

Winter Foliage Not Applicable

Planting Ease Maintenance

Spring Bareroot Easy Formal Moderate

Fall BarerootInformalLowSpring ContainerEasy2,4-D ToleranceSensitiveFall ContainerModerateDicamba ToleranceSensitive

Picloram Tolerance Sensitive

Spring Seed Clopyralid Tolerance Fall Seed

Artificial Light

Sulfur DioxideSensitiveOzone ToleranceTolerantHydrogen FlourideSensitive

Nitrogen Oxide

Pests/Problems Miscellaneous

Allergensmales 4, females 4Wildlife RatingHighInvasivenessNon-InvasiveInsect ConcernsMinorToxicityDisease ConcernMinor

Cold Injury Not Suggestible Wildlife Concerns

Cold Injury Not Susceptible Wildlife Concerns

Storm Damage Not Susceptible
Biological Control
Mechanical Control

Comments

Chemical Control

Native species widely planted and valued for its flowers, fruit, and foliage. Fruit is edible but sharply acid. Used for jelly and juice; persists better than V. opulus. Use as a screen or an informal hedge. Leaves are lobed. Flowers in late May.

American Cranberrybush

Viburnum trilobum





Dormant



Flower





Emi